

TABLE OF CONTENTS

A. GENERAL

1. INTRODUCTION 1

Purpose and Need 2

 Purpose 2

 Need 2

Authorization 2

Study Location 4

2. BACKGROUND 4

3. PROJECT ALTERNATIVES 6

Alternative 1: No Action 6

 Description 6

 Operation 6

Alternative 2: 3.5-Foot Dam Raise/478-Foot Flood Pool Elevation 7

 Description 7

 Plan Components 8

 Raise Concrete Dam 8

 Lower Spillway 8

 Replace Spillway Gates 8

 Modify Spillway Bridge Piers 9

 Replace Spillway Bridge 9

 Extend Stilling Basin 9

 Raise Embankment Dams and Dikes 9

 Improve Newcastle Powerhouse 10

 Borrow Areas and Haul Routes 10

 Location of Construction Staging Areas 10

 Construct Minimum Permanent Bridge 10

 Mooney Ridge Flood Easement 11

 Enlarge L. L. Anderson Dam Spillway 11

 Additional Structural Work 12

 Real Estate Requirement 12

 Operation 12

Alternative 3: 8.5-Foot Dam Raise/482-Foot Flood Pool Elevation 13

 Description 13

Plan Components 13

 Replace Spillway Gates 14

 Modify Spillway Bridge Piers 14

 Replace Spillway Bridge 14

 Raise Concrete Dam 14

 Extend Stilling Basin 14

 Raise Embankment Dams and Dikes 15

 Improve Newcastle Powerhouse 15

 Modify Elevator Tower 15

 Borrow Areas and Haul Distances 15

 Location of Construction Staging Area 16

 Construct Minimum Permanent Bridge 16

 Raise Folsom Dam Road East of Dam 16

 Mooney Ridge Flood Easement 16

 Enlarge L. L. Anderson Dam Spillway 16

 Additional Structural Work 17

Real Estate Requirement 17

Operation 17

Accomplishments and Residual Risk 18

Alternative 4: Twelve-Foot Dam Raise/487-Foot Flood Pool Elevation.....18

Description 18

Plan Components 19

 Raise Concrete Dam 19

 Concrete Dam Stability Measures 19

 Replace Spillway Gates 20

 Modify Spillway Bridge Piers 20

 Replace Spillway Bridge 20

 Extend Stilling Basin 20

 Raise Embankment Dams and Dikes 21

 Improve Newcastle Powerhouse 21

 Modify Elevator Tower 21

 Borrow Areas and Haul Distances 21

 Location of Construction Staging Area 21

 Construct Minimum Permanent Bridge 21

 Raise Folsom Dam Road East of Dam 21

 Mooney Ridge Flood Easement 21

 Enlarge L. L. Anderson Dam Spillway 22

 Additional Structural Work 22

Real Estate Requirement 22

Operation 22

Accomplishments and Residual Risk 23

Alternative 5: Stepped Release to 160,000 cfs24

Description 24

Plan Components 24

 Lower American River 24

 Downstream from American River..... 28

Real Estate Requirement30
 Lower American River30
 Downstream of American River30
 Operation31

Alternative 6: Stepped Release to 160,000 cfs and New Outlet at Folsom Dam.....31

Description31
 Plan Components.....31
 Folsom Dam32
 Lower American River32
 Downstream from the American River32
 Real Estate Requirement32
 Operation32

Alternative 7: Stepped Release to 180,000 cfs32

Description32
 Plan Components33
 Lower American River33
 Downstream from American River35
 Real Estate Requirement35
 Operation36

Alternative 8: Stepped Release to 160,000 cfs and 8.5-Foot Dam Raise/482-Foot Flood Pool Elevation36

Description36
 Plan Components36
 Real Estate Requirement37
 Operation37

B. HYDROLOGY (WATER MANAGEMENT)i

C. HYDRAULICSi

F. STRUCTURALi

G. ELECTRICAL AND MECHANICALi

H. COST ESTIMATESi